



# Plumbing Tools 2024/25

Section	Page No
Plumbing Tools	
Monument Masters SweatBOX®	(
Soldering + Brazing	
Monument Masters + Bending	
Copper Pipe Cutting + Deburring	
Plastic Pipe Cutting	8
Sawing + Cutting	Ç
Radiators	10
Taps + Stopcocks	1
Compression Fittings + Immersion Heaters	12
Boilers, Flues + System Testing	10
Wrenches + Spanners	14
Miscellaneous	15

## Our frequently ordered Consumable products...







**15mm Drain Down Hose**Page 13



200mm (8") Wide Jaw Adjustable Wrench 38mm Cap Page 14



Omat® 250mm (10") Soldering + Brazing Pad Page 4



# Plumbing Tools







### Monument Masters SweatBOX®

The  $\mathsf{SweatBOX}^{\otimes}$  is the ultimate plumbers soldering tray. The SweatBOX® features a flame retardant engineering grade plastic with a patented clamp for holding different sizing of copper pipe up to 22mm or  $^3\!4''$ .

There is a silicone strip edge to the Sweatbox ensuring heat is not conducted from the hot copper pipe to the plastic of the Sweatbox or the clients property. Adhesive rubber feet are included, helping to prevent scratches to surfaces. The sealed compartments are ideal for holding a gas bottle, separated blowtorch and all the essentials needed for soldering or sweating a joint. There's even a compartment for flux brushes.

Finish – Yellow Dimensions –  $435(h) \times 330(w) \times 240(d)$  mm

MAST20201L

#### **Guarantees**

Year on Plumbing Tools

### Soldering + Brazing

### Omat® Soldering + Brazing Pad

Quantity - 1 Dimensions -240(h) x 240(w) x 5(d) mm (INST2361) 155(h) x 155(w) x 5(d) mm (INST2363)

### 250mm (10") Soldering + Brazing Pad

The INST2361 OMAT® is a patented, slotted protection mat for soldering pipes and tubes to protect walls, cables, carpets and other flammable material. The OMAT® slot has an overlap at the back which enables the protective mat to go either side of the tube or pipe being soldered so as to protect the surrounding area from burning or scorching as well as reducing the risk of fire. It is particularly useful under kitchen units and on pipes perpendicular to the wall where the use of a non-slotted mat would not easily cover the area. The OMAT® is designed for use on pipes and tubes 15 to 22mm diameter.

### 150mm (6") Soldering + Brazing Pad

A patented, slotted protection mat or pad for soldering and brazing 15mm and 22mm copper tube and pipe. The size of the mat is 150mm x 150mm (6" x 6") for use in really awkward places where the larger sizes of Omat® would obstruct easy access of the soldering torch. It is designed to protect walls, cables, carpets and other flammable material surrounding a pipe being soldered/brazed. The slot in the Monument 2363L Micro Omat® has an overlap at the back which enables the protective mat to go either side of the tube or pipe being soldered/brazed so as to protect the surrounding area from burning or scorching, as well as reducing the risk of fire. It is particularly useful under kitchen units and on pipes perpendicular to the wall where the use of a non-slotted mat would provide inadequate cover of the area to prevent damage.





INST2361 Omat® 250mm (10") Soldering + Brazing Pad

INST2363 Omat® 150mm (6") Soldering + Brazing Pad



### 300mm (12") Soldering + Brazing Pad

Quantity -1 of Each Dimensions  $-310(h) \times 310(w) \times 10(d)$  mm

INST2350



### Flux Brushes

Quantity – Pack of 5 Dimensions – 200(h)  $\times$  10(w)  $\times$  10(d) mm

INST3015-1



### Flux Brushes

Quantity – Pack of 10 Dimensions –  $200(h) \times 10(w) \times 10(d)$  mm

INST3015-10



### Plumbing Tools

### Monument Masters + Bending

### 15mm Pipe Bender (With INST1715 15mm Copper Pipe Cutter)

The Pipe Bender is a single sized pipe bender for 15mm copper pipe (0.7mm wall).

Quantity - 1

Dimensions –  $470(h) \times 190(w) \times 65(d)$  mm

### Features + Benefits

Less fiddly - with the integrated hook and nylon guide, the integrated hook stop won't flop from side to side and the guide(s) won't fall out

Lighter in the hand than a combi - the pipe bender weighs 1.9kg

Less cumbersome – you are only using a bender for the size of pipe being bent

Better sight lines – as the bend is in the same plane as the arms of the bender it is easier to line up by eye

Smaller than a combi – the pipe bender has an arm length of 40cm approx. (a combi arm length is 65cm). It even fits in a tool bag



### INST1215AV

Instinct Pro 15mm Pipe Bender

### 1322EXTENDED

Monument Masters XXII Extended 22mm Bender



### 15mm + 22mm Copper Pipe Bender (Guides)

Quantity - 1

Dimensions –  $700(h) \times 135(w) \times 155(d)$  mm

The INST2600 15mm and 22mm Copper Pipe Bender is designed to professionally bend BSEN1057 15mm and 22mm copper pipe and 15mm stainless steel tube. The aluminium formers are marked with bending angles of 30, 45 and 90 degree offsets allowing for accurate

bending. The Instinct Pro Pipe Bender is supplied with replaceable 15mm and 22mm aluminium bending guides.

### INST2600



### 15mm Copper Pipe Bender Guide

Quantity - 1

Dimensions –  $165(h) \times 20(w) \times 15(d)$  mm

### INST2601



### 22mm Copper Pipe Bender Guide

Quantity - 1

Dimensions – 230(h) x 22(w) x 25(d) mm

### **Guarantees**

Year on Plumbing Tools

### Copper Pipe Cutting + Deburring



### 10mm Copper Pipe Cutter

Quantity -1Dimensions  $-45(h) \times 45(w) \times 30(d)$  mm

### **INST1810N**



### 28mm Autocut® Copper Pipe Cutter

Quantity -1Dimensions  $-65(h) \times 65(w) \times 30(d)$  mm

### INST1728

### 15mm + 22mm Autocut® Copper Pipe Cutters (Restricted Access Handles)

Quantity – Pack of 2 Dimensions –  $170(h) \times 70(w) \times 30(d)$  mm

The Restricted Access Handles are designed as an aid for rotating the INST1715 + INST1722 in confined spaces where the users' hands will not fit. Made from bright zinc plated steel the handles engage in the outer casing of the INST1715 + INST1722. They are designed to be easily slipped on and off of the cutter body from either side of the pipe cutter, even when it is engaged on the pipe to be cut.



### 15mm Autocut® Copper Pipe Cutter

Quantity – I Dimensions –  $50(h) \times 50(w) \times 30(d)$  mm

### INST1715



### Spare Wheels (Autocut® + Pipeslice®)

Quantity – Pack of 2 Dimensions – 35(h) x 40(w) x 40(d) mm

### INST0269



### 22mm Autocut® Copper Pipe Cutter

Quantity -1Dimensions  $-58(h) \times 58(w) \times 30(d)$  mm

### INST1722



### 15mm + 22mm Autocut® Copper Pipe Cutter

Quantity -1Dimensions  $-55(h) \times 55(w) \times 40(d)$  mm





### Plumbing Tools

### Copper Pipe Cutting + Deburring



### Size 3mm-22mm Copper Pipe Cutter

Dimensions - 45(h) x 70(w) x 30(d) mm

### INST0264



### 35mm Internal + External Pipe Deburrer

Quantity - 1 Dimensions –  $75(h) \times 45(w) \times 45(d)$  mm

### INST0365



### 15mm + 22mm Copper Pipe + Fitting Brush

Quantity - 1 Dimensions –  $195(h) \times 45(w) \times 30(d)$  mm

INST3033



### Size 4mm-28mm Copper Pipe Cutter

Dimensions - 185(h) x 55(w) x 30(d) mm

### INST0265



### 12-54mm Inside/Outside Deburrer

Quantity -1Dimensions  $-85(h) \times 65(w) \times 65(d)$  mm

### INST0374



### **Deburring Tool**

Quantity - 1 Dimensions –  $143(h) \times 15(w) \times 10(d)$  mm

### INST3020



### Size2A 12mm-43mm Copper Pipe Cutter

Dimensions - 220(h) x 65(w) x 40(d) mm

### INST0266



### Spare Wheel (Size 0-1-2A Copper Pipe Cutters)

Quantity – Pack of 2 Dimensions –  $40(h) \times 55(w) \times 55(d)$  mm

### INST0273



### **Cleaning Abrasive Strips**

10 Pack (INST3024), Twinpack (INST3024-6)

 $255(h) \times 40(w) \times 10(d)$  mm (INST3024)  $140(h) \times 60(w) \times 40(d)$  mm (INST3024-6)

INST3024 Cleaning Abrasive Strips INST3024-6 3m Rolls of Cleaning Abrasive Strips

### **Guarantees**

Year on Plumbing Tools

### **Plastic Pipe Cutting**



### 6-28mm Plastic Pipe Cutter

Quantity -1Dimensions  $-195(h) \times 70(w) \times 20(d)$  mm

### **INST2644**



### 15mm + 22mm Autocut® (Plastic Pipe Cutter)

Quantity — 1 Dimensions — 75(h) × 75(w) × 40(d) mm (INST0115) 70(h) × 70(w) × 40(d) mm (INST0122)

INST0115	15mm
INST0122	22mm



### **Burrfect Square Plastic Waste Pipe Deburrer**

Quantity -1Dimensions  $-80(h) \times 80(w) \times 3(d)$  mm

### INST2116



### 11/4" + 11/2" Autocut® (Plastic Waste Pipe Cutter)

Quantity - 1 Dimensions -70(h) × 70(w) × 50(d) mm (INST1114) 70(h) × 70(w) × 55(d) mm (INST1112)

INST1114	11/4"
INST1112	11/2"



### 20-42mm Plastic Pipe Cutter

Quantity -1Dimensions  $-220(h) \times 125(w) \times 25(d)$  mm

### INST2645



### Spare Blades for Autocut® (Plastic Pipe Cutter)

Quantity – Pack of 5 Dimensions – 50(h) x 50(w) x 5(d) mm





### Plumbing Tools

### Sawing + Cutting

### 300mm (12") Hacksaw

Quantity - 1

INST1921D

Dimensions –  $440(h) \times 140(w) \times 20(d)$  mm

The INST1921D 300mm (12") Hacksaw has a die-cast aluminium handle and square section tubular steel frame, which combine to give a lightweight hacksaw with great tensile strength. Adjusts to give 45° angle for flush cutting.





### Junior Hacksaw

Quantity - 1 Dimensions – 245(h) x 75(w) x 10(d) mm

### INST2000



### **Folding Knife**

Quantity – 1 Dimensions –  $75(h) \times 55(w) \times 10(d)$  mm

### INST1023

### Standard Trapezoidal Knife Blades

Quantity - Pack of 10 Dimensions –  $65(h) \times 65(w) \times 20(d)$  mm

The INST1024 Pack of Ten Standard Trapezoidal Knife Blades. Trimming knife blades are suitable for the trade trimming knife. Supplied in a dispenser.



### 300mm (12") Hacksaw Blades

Quantity – Pack of 3 Dimensions – 310(h) x 40(w) x 3(d) mm

### INST1923





### Spare Blade (Junior Hacksaw)

Quantity - Pack of 10 Dimensions –  $160(h) \times 35(w) \times 10(d)$  mm

### INST1120



### Six Flat Bits

Quantity – Pack of 6 Dimensions –  $155(h) \times 50(w) \times 20(d)$  mm

### Guarantees



### **Radiators**



### **Universal Radiator Valve Spanner**

Quantity -1Dimensions  $-110(h) \times 40(w) \times 20(d)$  mm

### INST2052



### Four-Way Multipurpose Key

Quantity -1Dimensions  $-75(h) \times 75(w) \times 20(d)$  mm

### INST2059



### Gas Meter + Radiator Bleed Key

Quantity -1Dimensions  $-90(h) \times 30(w) \times 20(d)$  mm

INST2050



### Radiator Step Wrench + Ratchet

Quantity – I Dimensions –  $275(h) \times 45(w) \times 30(d)$  mm

### INST2048



### **TRV Tail Driver**

Quantity -1Dimensions  $-60(h) \times 30(w) \times 30(d)$  mm

### INST2166



### 1/2, 3/4 + 1" Lockshield Radiator Valve Key

Quantity -1Dimensions  $-85(h) \times 85(w) \times 20(d)$  mm

### INST2056



### **Radiator Bleed Keys**

Quantity – Pack of 3 Dimensions –  $35(h) \times 68(w) \times 5(d)$  mm

### INST2058-1

### 3-in-1 and 4-in-1 Radiator Valve Spanners

Quantity – Pack of 1 (INST2053 + INST2054) Pack of 2 (INST2055) Dimensions – 135(h) x 60(w) x 20(d) mm

INST2053	Radiator Valve Spanner 10mm Square + 5mm Balancing Tool
INST2054	Radiator Valve Spanner 12mm Hex.,

Air Release + 4mm Balancing Tool

INST2055

Twinpack



### Plumbing Tools

### Taps + Stopcocks



### **Contractors Telescopic Back Nut Wrench**

Quantity -1Dimensions  $-280(h) \times 150(w) \times 30(d)$  mm

### INST0781



1050mm (42") Mains Water Tapered  $\frac{1}{2}$ " +  $\frac{3}{4}$ " Stopcock Key

Quantity -1Dimensions  $-1060(h) \times 160(w) \times 20(d)$  mm

### INST0339



45 x 50mm Waste Nut Box Spanner

Quantity -1Dimensions  $-200(h) \times 60(w) \times 50(d)$  mm

#### INST0308



### **Domestic Mains Water Mini Stopcock Key**

Quantity -1Dimensions  $-220(h) \times 45(w) \times 40(d)$  mm

### INST0331



### Pro Adjustable Basin Wrench (Two Jaws)

Quantity – 1 Dimensions – 255(h) x 90(w) x 80(d) mm

INST0345



8mm-13mm Monobloc Box Spanners

Quantity – Set of 3 Dimensions –  $185(h) \times 45(w) \times 20(d)$  mm

#### INST3240



### Parallel Bush Tap Reseater (Three Cutters)

Quantity -1 Dimensions  $-135(h) \times 40(w) \times 50(d)$  mm

### INST0450



### 27 x 32mm Tap Back Nut Box Spanner

Quantity -1Dimensions  $-157(h) \times 40(w) \times 40(d)$  mm

### INST0319



Malleable Cast Basin Back Nut Wrench

Quantity – 1 Dimensions – 260(h) x 27(w) x 45(d) mm

### Guarantees

1 Year on Plumbing Tools

### **Compression Fittings + Immersion Heaters**



### **Compression Fitting Nut Spanners**

Quantity – Pack of 2 Dimensions –  $160(h) \times 55(w) \times 10(d)$  mm

### INST2042



### **Box Ring Immersion Heater Spanner**

Quantity -1Dimensions  $-295(h) \times 50(w) \times 30(d)$  mm

### INST0358



### Pro Cast Immersion Heater Spanner 86mm A/F

Quantity -1Dimensions  $-250(h) \times 110(w) \times 50(d)$  mm

### INST0361





Additionally there is a power tool drive to make this indispensable tool even more useful!

Just remember to have your drill set to drive not reverse.

### 15mm + 22mm Compression Fitting Olive Puller

Quantity - 1

Dimensions –  $150(h) \times 60(w) \times 40(d)$  mm

The INST2036 works by engaging the tool in the end of the copper pipe and then winding the appropriate bush - 15mm and 22mm included - counter clockwise until it stops at the olive to be removed. The threaded bush is then screwed into the compression nut which is held captive on the pipe on the other side of the olive. Then by rotating the handle clockwise the compression fitting nut is drawn up the pipe and pulls the olive off the pipe without damaging it.

### INST2036



### 22mm Compression Fitting Olive Cutter

Quantity -1Dimensions  $-192(h) \times 55(w) \times 25(d)$  mm

INST2031



### 15mm Compression Fitting Olive Cutter

Quantity - 1

Dimensions – 195(h) x 55(w) x 20(d) mm

The INST2030 15mm and INST2031 22mm are designed to remove an olive from copper pipe without damage to the pipe and without producing swarf. The latest version includes replaceable, interchangeable and reversible tungsten carbide blades.

Not for use on steel olives.



### Plumbing Tools

### Boilers, Flues + System Testing

### 30mb Gas Test Gauge

Quantity - 1

Dimensions –  $550(h) \times 75(w) \times 30(d)$  mm

The INST0257 30mb Gas Test Gauge is Made in Britain and is made from tough plastic. It is used both for testing pipework installations with air for leaks before the introduction of gas and for checking and setting correct gas pressures on domestic and commercial appliances. Extruded cover slides off and may be clipped over the base for standing the tool vertically during use. Hanging tab permits vertical hanging from suitable protrusions. Marked in millibars, the scale adjusts for zeroing the water level.





### **Mains Water Pressure Test** Gauge 11 Bar x 3/4" BSP

Quantity - 1 Dimensions –  $285(h) \times 55(w) \times 40(d)$  mm

INST1510

#### INST0257

### Dry Test Kit 15mm x 4 Bar

INST1512

Dimensions –  $130(h) \times 55(w) \times 30(d)$  mm

The INST1512 Pipe Dry Testing Kit is ideal for dry testing pipe work during and after installation. It has an easy to read triple scale bar, psi and kPa and is suitable for water, air, gas and petroleum oil pipes up to 4 bar, and for testing combi systems. Can be left on test, while flooring is laid to reveal any nail damage also test hot and cold supplies separately to ensure pipes are not crossed. Fitted with a Schrader Valve and 15 mm push fit fitting for quick and easy assembly and has a rubber boot for added protection.





### Flue Brushes

Quantity – Pack of 3

Dimensions –  $500(h) \times 120(w) \times 55(d)$  mm

### INST3014



### 15mm + 22mm Pipe End Plugs

Quantity - 1 of Each Dimensions –  $65(h) \times 65(w) \times 20(d)$  mm

INST1368



### 15m Drain Down Hose

Quantity - 1 Dimensions - 280(h) x 240(w) x 175(d) mm

INST2404



### 2m Spare Gas Test Gauge Hose (LPG)

Quantity - 1

Dimensions – 260(h)  $\times$  40(w)  $\times$  30(d) mm

### **Guarantees**



### Wrenches + Spanners



150mm (6") Wide Jaw Adjustable Wrench 34mm Cap

Quantity -1Dimensions  $-165(h) \times 65(w) \times 15(d)$  mm

INST3140



Mongoose 175mm (7") One Handed Slip Joint Pliers

Quantity -1Dimensions  $-180(h) \times 45(w) \times 20(d)$  mm

INST2071



150mm (6") Thin Jaw Adjustable Wrench

Quantity -1Dimensions  $-165(h) \times 65(w) \times 20(d)$  mm

INST4140



200mm (8") Wide Jaw Adjustable Wrench 38mm Cap

Quantity -1Dimensions  $-210(h) \times 70(w) \times 10(d)$  mm

INST3141



250mm (10") Wide Jaw Adjustable Wrench 50mm Cap

Quantity -1Dimensions  $-290(h) \times 95(w) \times 20(d)$  mm

INST3143



Mongoose 250mm (10") One Handed Slip Joint Pliers

Quantity – 1 Dimensions – 245(h) x 50(w) x 20(d) mm

INST2072



Mongoose 300mm (12") One Handed Slip Joint Pliers

Quantity -1Dimensions  $-300(h) \times 55(w) \times 20(d)$  mm

INST2073



200mm (8") Thin Jaw Adjustable Wrench

Quantity -1Dimensions  $-210(h) \times 70(w) \times 20(d)$  mm

INST4141



6" + 8" Thin Jaw Adjustable Wrenches

Quantity – 1 Dimensions – 210(h) x 70(w) x 40(d) mm



### Plumbing Tools

### Miscellaneous



### Tape Measure (Backing Card)

Quantity - 1 Dimensions –  $150(h) \times 85(w) \times 35(d)$  mm

INST1961S5	5m
INST1962S8	8m



### Screwdriver

Quantity - 1

Dimensions –  $410(h) \times 30(w) \times 40(d)$  mm

INST1518	450mm (18") Flat Head Screwdriver
INST1517	300mm (12") No.2 Phillips Screwdriver



### 20ft Drain Cleaner

Quantity - 1

Dimensions – 285(h) x 285(w) x 185(d) mm

### INST3310



### **D-End Manhole Lifting Keys**

Quantity - 1 x Set of Keys Dimensions –  $105(h) \times 125(w) \times 30(d)$  mm

INST1010



**Boiler Plus** Compliant

### **Handy Plunger**

Quantity - 1 Dimensions – 320(h) x 125(w) x 90(d) mm

INST1460



### **Toilet Plunger**

Quantity - 1

Dimensions - 620(h) x 125(w) x 130(d) mm

INSTM1600

### INSTINCT<sup>2</sup>

### The Ideal Instinct<sup>2</sup> Combi Boiler

Available in outputs of 24, 30 and 35 kW the Instinct<sup>2</sup> provides a cost effective heating solution for a range of domestic installations. Designed for a compact space, quick and easy to install and with a low lift weight, the Instinct<sup>2</sup> combi boiler is the perfect fit.

www.instinctproducts.co.uk







## INSTINCT® PRO









